Registered No. M.—1175.

# The Mysore Gazette.

Vol. 62 | PUBLISHED BY AUTHORITY. | No. 6.

BANGALORE, THURSDAY, FEBRUARY 10, 1927.

## PART V.

*Season Report for the Week ending with the 6th Saturday in 1927 (5th February 1927).*

| District and Station | Rainfall up to 8 A.M. on Saturday | | | | | | | | | | Price of food grains in seers per rupee and market fluctuations in prices of food grains | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | This week | | Last ten years' average for the corresponding week | | Up to the end of the week from 1st January 1927 | | | | | | | | | |
| | | | | | This year | | Average of past ten years | | Excess (+) or defect (—) of column 4 compared with column 5 | | | | | |
| 1 | 2 | | 3 | | 4 | | 5 | | 6 | | 7 | | | |
| | I. | c. | I. | c. | I. | c. | I. | c. | I. | c. | | This week | Past week | Past ten years' fortnightly average |
| | | | | | | | | | | | | Seers | Seers | Seers |
| BANGALORE | | | | | | | | | | | | | | |
| Bangalore City & Taluk | 0 | 0 | 0 | 19 | 0 | 00 | 1 | 20 | —1 | 20 | | | | |
| Hoskote ... | 0 | 0 | 0 | 15 | 0 | 00 | 0 | 97 | —0 | 97 | | | | |
| Dodballapur ... | 0 | 0 | 0 | 02 | 0 | 00 | 0 | 35 | —0 | 35 | Rice, 2nd sort. | 5·00 | 5·00 | 7·00 |
| Nelamangala ... | 0 | 0 | 0 | 02 | 0 | 00 | 0 | 39 | —0 | 39 | | | | |
| Kankanhalli ... | 0 | 0 | 0 | 04 | 0 | 00 | 0 | 37 | —0 | 37 | Ragi | 9·00 | 9·00 | 11·00 |
| Magadi ... | 0 | 0 | 0 | 03 | 0 | 00 | 0 | 53 | —0 | 53 | | | | |
| Channapatna ... | 0 | 0 | 0 | 15 | 0 | 00 | 0 | 77 | —0 | 77 | Kulthi | 8·50 | 8·00 | 10·00 |
| Anekal ... | 0 | 0 | 0 | 28 | 0 | 00 | 1 | 71 | —1 | 71 | | | | |
| Devanhalli ... | 0 | 0 | 0 | 08 | 0 | 00 | 0 | 48 | —0 | 48 | Kadale | 50·0 | 4·50 | 7·00 |
| Closepet ... | 0 | 0 | 0 | 02 | 0 | 00 | 0 | 17 | —0 | 17 | | | | |
| District average ... | 0 | 0 | 0 | 09 | 0 | 00 | 0 | 70 | —0 | 70 | | | | |
| KOLAR | | | | | | | | | | | | | | |
| Kolar ... | 0 | 0 | 0 | 02 | 0 | 00 | 0 | 89 | —0 | 89 | | | | |
| Bowringpet ... | 0 | 0 | 0 | 03 | 0 | 00 | 0 | 84 | —0 | 84 | | | | |
| Chintamani ... | 0 | 0 | 0 | 00 | 0 | 18 | 0 | 52 | —0 | 34 | Rice, 2nd sort. | 4·31 | 4·25 | 5·00 |
| Mulbagal ... | 0 | 0 | 0 | 00 | 0 | 08 | 0 | 82 | —0 | 74 | | | | |
| Sidlaghatta ... | 0 | 0 | 0 | 00 | 0 | 00 | 0 | 72 | —0 | 72 | Ragi | 9·00 | 9·00 | 8·50 |
| Chikballapur ... | 0 | 0 | 0 | 00 | 0 | 00 | 0 | 96 | —0 | 96 | | | | |
| Bagepalli ... | 0 | 0 | 0 | 00 | 0 | 00 | 0 | 28 | —0 | 28 | Kulthi | 9·00 | 9·00 | 9·00 |
| Goribidnur ... | 0 | 0 | 0 | 00 | 0 | 00 | 0 | 62 | —0 | 62 | | | | |
| Malur ... | 0 | 0 | 0 | 03 | 0 | 00 | 0 | 72 | —0 | 72 | Kadale | 4·50 | 5·00 | 5·00 |
| Srinivaspur ... | 0 | 0 | 0 | 02 | 0 | 00 | 0 | 85 | —0 | 85 | | | | |
| Gudibanda ... | 0 | 0 | 0 | 00 | 0 | 00 | 0 | 55 | —0 | 55 | | | | |
| District average ... | 0 | 0 | 0 | 01 | 0 | 02 | 0 | 77 | —0 | 75 | | | | |
| TUMKUR | | | | | | | | | | | | | | |
| Tumkur ... | 0 | 0 | 0 | 00 | 0 | 00 | 0 | 31 | —0 | 31 | | | | |
| Maddagiri ... | 0 | 0 | 0 | 05 | 0 | 00 | 0 | 52 | —0 | 52 | | | | |
| Chiknayakanhalli ... | 0 | 0 | 0 | 00 | 0 | 00 | 0 | 30 | —0 | 30 | Rice, 2nd sort. | 4·50 | 5·00 | 8·00 |
| Sira ... | 0 | 0 | 0 | 04 | 0 | 00 | 0 | 84 | —0 | 84 | | | | |
| Gubbi ... | 0 | 0 | 0 | 02 | 0 | 00 | 0 | 37 | —0 | 37 | Ragi | 9·50 | 9·25 | 18·00 |
| Tiptur ... | 0 | 0 | 0 | 02 | 0 | 09 | 0 | 24 | —0 | 15 | | | | |
| Pavagada ... | 0 | 0 | 0 | 04 | 0 | 00 | 0 | 82 | —0 | 82 | Kulthi | 7·00 | 7·00 | 10·00 |
| Kunigal ... | 0 | 0 | 0 | 00 | 0 | 00 | 0 | 41 | —0 | 41 | | | | |
| Koratagere ... | 0 | 0 | 0 | 00 | 0 | 00 | 0 | 41 | —0 | 41 | Kadale | 5·00 | 4·50 | 8·80 |
| Turuvekere ... | 0 | 0 | 0 | 04 | 0 | 00 | 0 | 35 | —0 | 35 | | | | |
| District average ... | 0 | 0 | 0 | 02 | 0 | 01 | 0 | 46 | —0 | 45 | | | | |

| | District and Station | Rainfall up to 8 A.M. on Saturday | | | | | | | | | | Price of food grains in seers per rupee and market fluctuations in prices of food grains | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | This week | | Last ten years' average for the corresponding week | | Up to the end of the week from 1st January 1927 | | | | | | | | | |
| | | | | | | This year | | Average of past ten years | | Excess (+) or defect (—) of column 4 compared with column 5 | | | | | |
| | 1 | 2 | | 3 | | 4 | | 5 | | 6 | | 7 | | | |
| | | I. | c. | I. | c. | I. | c. | I. | c. | I. | c. | | | | |
| MYSORE | Mysore | 0 | 0 | 0 | 00 | 0 | 0 | 0 | 04 | —0 | 04 | | This week | Past week | Past ten years' fortnightly average |
| | Chamrajnagar | 0 | 0 | 0 | 00 | 0 | 0 | 0 | 11 | —0 | 11 | | Seers | Seers | Seers |
| | Seringapatam | 0 | 0 | 0 | 01 | 0 | 0 | 0 | 15 | —0 | 15 | | | | |
| | Hunsur | 0 | 0 | 0 | 12 | 0 | 0 | 0 | 18 | —0 | 18 | | | | |
| | Yedatore | 0 | 0 | 0 | 02 | 0 | 0 | 0 | 16 | —0 | 16 | Rice, 2nd sort. | 5·50 | 5·50 | 5·50 |
| | Heggaddevankote | 0 | 0 | 0 | 05 | 0 | 0 | 0 | 13 | —0 | 13 | | | | |
| | Gundlupet | 0 | 0 | 0 | 00 | 0 | 0 | 0 | 29 | —0 | 29 | Ragi | 8·50 | 8·50 | 8·50 |
| | Nanjangud | 0 | 0 | 0 | 02 | 0 | 0 | 0 | 29 | —0 | 29 | | | | |
| | T. Narsipur | 0 | 0 | 0 | 02 | 0 | 0 | 0 | 14 | —0 | 14 | Kulthi | 8·00 | 8·00 | 8·00 |
| | Malvalli | 0 | 0 | 0 | 00 | 0 | 0 | 0 | 09 | —0 | 09 | | | | |
| | Mandya | 0 | 0 | 0 | 01 | 0 | 0 | 0 | 09 | —0 | 09 | Kadale | 6·00 | 6·00 | 6·00 |
| | Krishnarajpete | 0 | 0 | 0 | 04 | 0 | 0 | 0 | 14 | —0 | 14 | | | | |
| | Nagamangala | 0 | 0 | 0 | 00 | 0 | 0 | 0 | 44 | —0 | 44 | | | | |
| | District average | 0 | 0 | 0 | 02 | 0 | 0 | 0 | 17 | —0 | 17 | | | | |
| HASSAN | Hassan | 0 | 0 | 0 | 05 | 0 | 0 | 0 | 74 | —0 | 74 | | | | |
| | Manjarabad (Saklespur) | 0 | 0 | 0 | 03 | 0 | 0 | 0 | 37 | —0 | 37 | Rice, 2nd sort. | 5·50 | 5·50 | 5·00 |
| | Arkalgud | 0 | 0 | 0 | 07 | 0 | 0 | 0 | 46 | —0 | 46 | | | | |
| | Belur | 0 | 0 | 0 | 03 | 0 | 0 | 0 | 51 | —0 | 51 | Ragi | 10·00 | 10·00 | 10·00 |
| | Channarayapatna | 0 | 0 | 0 | 03 | 0 | 0 | 0 | 43 | —0 | 43 | | | | |
| | Arsikere | 0 | 0 | 0 | 00 | 0 | 0 | 0 | 54 | —0 | 54 | Kulthi | 7·00 | 7·00 | 8·00 |
| | Hole-Narsipur | 0 | 0 | 0 | 03 | 0 | 0 | 0 | 37 | —0 | 37 | | | | |
| | Alur | 0 | 0 | 0 | 07 | 0 | 0 | 0 | 42 | —0 | 42 | Kadale | 5·00 | 4·50 | 5·00 |
| | District average | 0 | 0 | 0 | 04 | 0 | 0 | 0 | 48 | —0 | 48 | | | | |
| SHIMOGA | Shimoga | 0 | 0 | 0 | 02 | 0 | 0 | 0 | 16 | —0 | 16 | | | | |
| | Channagiri | 0 | 0 | 0 | 00 | 0 | 0 | 0 | 10 | —0 | 10 | | | | |
| | Honnali | 0 | 0 | 0 | 01 | 0 | 0 | 0 | 26 | —0 | 26 | Rice, 2nd sort. | 5·50 | 5·00 | 5·23 |
| | Shikarpur | 0 | 0 | 0 | 09 | 0 | 0 | 0 | 16 | —0 | 16 | | | | |
| | Sorab | 0 | 0 | 0 | 07 | 0 | 0 | 0 | 28 | —0 | 28 | Ragi | 11·00 | 11·00 | 11·75 |
| | Sagar | 0 | 0 | 0 | 18 | 0 | 0 | 0 | 34 | —0 | 34 | | | | |
| | Nagar (Kallurkatte) | 0 | 0 | 0 | 04 | 0 | 0 | 0 | 32 | —0 | 32 | Kulthi | 7·00 | 7·00 | 7·88 |
| | Tirthahalli | 0 | 0 | 0 | 08 | 0 | 0 | 0 | 30 | —0 | 30 | | | | |
| | Kumsi | 0 | 0 | 0 | 02 | 0 | 0 | 0 | 30 | —0 | 30 | | | | |
| | District average | 0 | 0 | 0 | 02 | 0 | 0 | 0 | 25 | —0 | 25 | | | | |
| KADUR | Chikmagalur | 0 | 0 | 0 | 12 | 0 | 0 | 0 | 40 | —0 | 40 | | | | |
| | Kadur | 0 | 0 | 0 | 15 | 0 | 0 | 0 | 47 | —0 | 47 | Rice, 2nd sort. | 6·00 | 6·00 | 6·00 |
| | Tarikere | 0 | 0 | 0 | 07 | 0 | 0 | 0 | 52 | —0 | 52 | | | | |
| | Koppa | 0 | 0 | 0 | 16 | 0 | 0 | 0 | 56 | —0 | 56 | Ragi | 11·00 | 10·50 | 12·00 |
| | Mudgere | 0 | 0 | 0 | 11 | 0 | 0 | 0 | 48 | —0 | 48 | Kulthi | 6·00 | 6·50 | 10·00 |
| | Narasimharajapura | 0 | 0 | 0 | 14 | 0 | 0 | 0 | 35 | —0 | 35 | Kadale | 5·00 | 5·00 | 6·00 |
| | Sringeri | 0 | 0 | 0 | 09 | 0 | 0 | 0 | 38 | —0 | 38 | | | | |
| | District average | 0 | 0 | 0 | 12 | 0 | 0 | 0 | 45 | —0 | 45 | | | | |
| CHITALDRUG | Chitaldrug | 0 | 0 | 0 | 00 | 0 | 0 | 0 | 84 | —0 | 84 | | | | |
| | Challakere | 0 | 0 | 0 | 03 | 0 | 0 | 0 | 66 | —0 | 36 | Rice, 2nd sort. | 4·50 | 4·50 | 6·00 |
| | Hiriyur | 0 | 0 | 0 | 03 | 0 | 0 | 0 | 57 | —0 | 57 | | | | |
| | Holalkere | 0 | 0 | 0 | 01 | 0 | 0 | 0 | 60 | —0 | 60 | Ragi | 10·00 | 10·00 | 14·00 |
| | Davangere | 0 | 0 | 0 | 01 | 0 | 0 | 0 | 14 | —0 | 14 | Kulthi | 8·00 | 8·00 | 10·00 |
| | Molakalmuru | 0 | 0 | 0 | 04 | 0 | 0 | 0 | 59 | —0 | 50 | Cholum | 10·00 | 10·00 | 14·00 |
| | Jagalur | 0 | 0 | 0 | 09 | 0 | 0 | 0 | 98 | —0 | 98 | Kadale | 5·00 | 5·00 | 4·00 |
| | Hosdurga | 0 | 0 | 0 | 03 | 0 | 0 | 0 | 31 | —0 | 31 | | | | |
| | Haribar | 0 | 0 | 0 | 04 | 0 | 0 | 0 | 30 | —0 | 30 | | | | |
| | District average | 0 | 0 | 0 | 03 | 0 | 0 | 0 | 55 | —0 | 55 | | | | |
| | Provincial average | 0 | 0 | 0 | 05 | 0 | 0 | 0 | 48 | —0 | 48 | | | | |

Note.—Rice (husked)—Oryza Sativa; Ragi—Eleusine Corocana; Kulthi—(Horse gram) Dolichos Biflorus. Cholum—Sorghum Vulgare, Kadale—(Bengal gram) Cicer Arietinum.

25

## DISTRICT REPORTS.

8. Markets how supplied.

9. Progress of agricultural operations, state of standing crops, prospects and probable outturn of harvests, serious damage done to crops by insects or other natural calamities.

10. The prospects of season, tracts in which the rainfall has been insufficient, area affected by scarcity, number of people under relief, and state of food stocks.

11. Remarks as to the condition of agricultural stock, failure of pasturage or fodder, etc.

## BANGALORE CITY AND TALUKS.

8. Markets are well supplied.

9. *Agricultural operations.*—Paddy and sugar-cane are being sown in some parts of Bangalore Taluk and paddy in some parts of Hoskote Taluk.

*Standing crops.*—Sugar-cane, paddy, potatoes and mulberry; they are reported to be generally in good condition all over the District except in Nelamangala Taluk where it is reported that sugar-cane is drying up for want of water.

*Crops harvested.*—Sugar-cane in Bangalore, Dodballapur, Channapatna, Anekal and Devanhalli Taluks and ragi and paddy in Nelamangala, Anekal and Channapatna Taluks and Closepet Sub-Taluk; ragi, horsegram, avare, and togari in Hoskote, Kankanhalli and Channapatna Taluks.

10. Prospects of the season are generally good. Cooly classes find sufficient labour.

11. Cattle are reported to be healthy except in parts of Channapatna and Kankanhalli Taluks and Singasandra in the Bangalore Taluk, where chapperoga and doddaroga, respectively, are prevailing.

Water and fodder are available.

## KOLAR.

8. Well supplied.

9. *Agricultural operations.*—Ploughing of wet fields in Goribidnur Taluk and Gudibunda Sub-Taluk, and sugar-cane milling in all the Taluks. Sowing of paddy only in Goribidnur Taluk continued this week also.

*Standing crops.*—Sugar-cane and paddy in parts of the district are said to be in good condition. Insufficiency of water for sugar-cane only in Kolar Taluk is reported.

*Crops harvested.*—Sugar-cane, 8-12 annas (avare) 4 annas, togari, horsegram

10. Prospects of the season fair. Prices of food grains are stationary. Cooly classes find sufficient labour.

11. Cattle are reported to be healthy except for the prevalence of "Sapperoga" in Polinaikanapalli, Vadigere, Madakavaripalli, Makireddipalliand Gownpalli villages of Bagepalli Taluk and Doddagurki and Hosakere Villages in the Mulbagal Taluk. The Veterinary Inspector was communicated with by the Amildar, to do the needful. Fodder and drinking water are available to the cattle.

## TUMKUR.

8. Markets are fairly well supplied.

9. *Crops sown.*—Paddy in parts of Maddagiri and Kunigal Taluks and Koratagere Sub-Taluk. Bengalgram and wheat in parts of Sira Taluk.

*Crops harvested.*—Sugar-cane in parts of Gubbi Taluk; yield 8 to 12 annas. Horse grani in parts of Pavagada Taluk; yields 4 annas.

*Standing crops.*—Bengal gram, paddy, sugar-cane, and wheat are reported to be in good condition.

10. *Prospects of the season.*—Fair.

11. Except for the prevalence of black quarter and Anthrax in some parts of Maddagiri Taluk, cattle in other parts of the District are reported to be healthy. It is reported from Maddagiri that the Veterinary Inspector has been addressed in the matter. Water and fodder also are reported to be available and adequate at present.

MYSORE.

8. Well supplied.

9. *Agricultural operations* :—Transplantation of paddy is going on in parts of Nagamangala Taluk.

*Standing crops.*—Sugar-cane, mulberry, paddy, castor, kadle, coriander, tadaguni, chillies, avare, togari, black grams, green gram and ground-nut are reported to be in good condition.

*Crops sown.*—Nil.

*Crops harvested.*—Paddy in parts of Heggaddevankote and Malvalli Taluks; horse-gram, togari and avare in parts of Malvalli Taluk; sugar-cane and kadale in parts of Mandya Taluk; avare in parts of Krishnarajpete Taluk.

10. Prospects of the season are reported to be fair.

11. Water and fodder are available. Cattle are reported to be generally healthy.

HASSAN.

8. Markets are well supplied.

*Seeds sown.*—Nil.

9. *Standing crops.*—Kode paddy in the Manjarabad Taluk, sugar-cane in parts of Belur, Arsikere and Hole-Narsipur Taluks are reported to be in good condition.

*Crops harvested.*—Sugar-cane and castor in the Hassan Taluk; coffee and cardamom in the Manjarabad Taluk; ragi in Arkalgud Taluk; sugar-cane in the Taluks of Belur and Channarayapatna; paddy and ragi in the Belur Taluk are being harvested.

10. Prospects of the season are reported to be good.

11. Except for Doddaroga in parts of Belur Taluk and in Agrahar village of Dandiganahalli hobli in the Channarayapatna Taluk, cattle are reported to be healthy.

Water and fodder are available.

SHIMOGA.

8. Markets are well supplied.

9. *Agricultural operations.*—Nil.

*Seeds sown.*—Nil.

*State of standing crops.*—Sugar-cane in all the Taluks and in the Sub-Taluk of Kumsi; cotton in the Taluks of Shimoga, Channagiri and Honnali; and avare, green gram and black gram in the Sorab Taluk are reported to be in good condition.

*Crops harvested.*—Sugar-cane is being milled in all the Taluks and in the Sub-Taluks of Kumsi; cotton and bilejola are being harvested in the Channagiri Taluk.

10. The prospects of the season are reported to be good.

11. Cattle are reported to be generally healthy. Fodder and water are reported to be available. Rinderpest is reported to be prevailing in parts of Bharangi, Ananthapur and Talaguppa hoblis of Sagar Taluk and Epizootic Aphtha in Mugalhalli village of Channagiri Taluk.

KADUR.

8. Markets are adequately supplied.

9. *Agricultural operations.*—Nil.

*Crops sown.*—Nil.

*Standing crops.*—Chikmagalur—Sugar-cane, Bengal gram, jola, menthya, garlic, onions, kodepaddy and wheat. Kadur—Wheat and jola. Tarikere—Coffee, sugar-cane, wheat, castor, cotton and avare. Koppa—Areca, coffee and sugar-cane. Mudgere—Coffee, areca, sugar-cane and cardamom. Narasimharajapura—Sugar-cane.

The standing crops are generally good all over the district.

*Crops harvested.*—Chikmagalur—Paddy, coffee, avare, thogari, horse gram, and sugar-cane. Kadur—Sugar-cane. Tarikere—Coffee, cotton and Bengal gram. Koppa—Areca, sugar-cane, and coffee. Mudgere—Areca, sugar-cane, coffee and paddy. Narasimharajapura—Areca. Sringeri—Areca.

10. Prospects of the season are good. Food grains are available.

11. Cattle are generally healthy; but rinderpest prevails in parts of Aldur and Kasaba Hoblies of Chikmagalur Taluk and in Gonthvalli village of Mudgere Taluk.

Water and fodder are available.